

### **Features**

- High reliability
- General purpose leads
- Peak wavelength λp=880nm
- Mechanically and spectrally matched to the phototransistor
- Low forward voltage
- High radiant intensity


### **Applications**

- Optoelectronic Switch
- IR Touch-Panel
- Industrial IR Equipment
- Consumer Electronics
- High Speed IR Communications

### **Description**

- The infrared emitting diode (880nm) is a high intensity diode, molded in a water clear transparent plastic package.
- The device is spectrally matched with silicon photodiode and phototransistor.

### Package Dimensions in mm



#### Notes:

- 1. All dimensions are in millimeters (inches).
- 2. Tolerance is  $\pm$  0.25 mm (.010  $^{\prime\prime}$  ) unless otherwise noted.

Figure 1. INL-3AMIR40 Package Dimensions



## Absolute Maximum Rating at 25°C (Note 1)

Product	Emission Color	P <sub>d</sub> (mW)	I <sub>F</sub> (mA)	I <sub>FP</sub> * (A)	V <sub>R</sub> (V)	T <sub>OP</sub> (°C)	T <sub>ST</sub> (°C)
INL-3AMIR40	Infrared	160	100	1	5	-40°C~+80°C	-40°C~+85°C

### **Notes**

### **Electrical Characteristics** $T_A = 25$ °C (Note 1)

	Product	Emission	I <sub>F</sub> (mA)	V <sub>F</sub> (V)		λ(nm)			Viewing Angle	Ee(mW/sr)	
		Color		min	max	$\lambda_{D}$	$\lambda_{P}$	Δλ	2 0 1/2	min	typ.
	INL-3AMIR40	Infrared	20	1.0	1.6	-	880	45	40	8	10

#### Notes

1. Performance guaranteed only under conditions listed in above tables.

### **ESD Precaution**

ATTENTION: Electrostatic Discharge (ESD) protection



The symbol above denotes that ESD precaution is needed. ESD protection for GaP and AlGaAs based chips is necessary even though they are relatively safe in the presence of low static-electric discharge. Parts built with AllnGaP, GaN, or/and InGaN based chips are STATIC SENSITIVE devices. ESD precaution must be taken during design and assembly.

If manual work or processing is needed, please ensure the device is adequately protected from ESD during the process.


Please be advised that normal static precautions should be taken in the handling and assembly of this device to prevent damage or degradation which may be induced by electrostatic discharge (ESD).

<sup>1.</sup> Condition for IFP is pulse of 1/10 duty and 1kHz frequency




## **Typical Characteristic Curves**

### Spectral Distribution




Wavelength  $\lambda(nm)$ 

# Peak Emission Wavelength & Ambient Temperature




Forward Current & Forward Voltage



Forward Voltage(V)


# Forward Current & Ambient Temperature



Ambient Temperature(℃)




Relative Intensity & Forward Current




IF-Forward Current(mA)

Forward Voltage & Ambient Temperature(°C)




Relative Intensity & Ambient Temperature(°C)



Ambient Temperature (°C)



## **Typical Characteristic Curves – Radiation Pattern**




# **Ordering Information**

Product	Emission Color	Technology	Test Current I <sub>F</sub> (mA)	Radiant Intensity Ee (mW/sr) (Typ.)	Forward Voltage V <sub>F</sub> (V) (Typ.)	Orderable Part Number
INL-3AMIR40	Infrared	AlGaAs	20	10	1.3	INL-3AMIR40



## **Label Specifications**




### Inolux P/N:

I	N	L	-	3	Α	-	MIR	4	0		Х	Х	Χ	Χ
		Package		kage	Lens	Color	View Angle			Customized Stamp-off				
	Inolu mp Ty			stan	\ = dard nm	(Blank) = clear	MIR = 880nm	40 =	40 deg.					

### Lot No.:

Z	2	0	1	7	01	24	001
Internal		Year (2017	2018 \	Month	Date	Serial	
Tracker		Tear (2017)	, 2018,)	WIOTICIT	Date	Serial	





# Reliability

Item	Frequency/ lots/ samples/ failures	Standards Reference	Conditions		
Precondition	For all reliability monitoring tests according to JEDEC Level 2	J-STD-020	<ul><li>1.) Baking at 85°C for 24hrs</li><li>2.) Moisture storage at 85°C/60% R.H. for 168hrs</li></ul>		
Solderability	1Q/ 1/ 22/ 0	JESD22-B102-B And CNS-5068	Accelerated aging 155°C/ 24hrs Tinning speed: 2.5+0.5cm/s Tinning: A: 215°C/ 3+1s or B: 260°C/ 10+1s		
Resistance to soldering heat		CNS-5067	Dipping soldering terminal only Soldering bath temperature A: 260+/-5°C; 10+/-1s B: 350+/-10°C; 3+/-0.5s		
Operating life test	1Q/ 1/ 40/ 0	CNS-11829	1.) Precondition: 85°C baking for 24hrs 85°C/ 60%R.H. for 168hrs 2.) Tamb25°C; IF=20mA; duration 1000hrs		
High humidity, high temperature bias	1Q/ 1/ 45/ 0	JESD-A101-B	Tamb: 85°C Humidity: 85% R.H., IF=5mA Duration: 1000hrs		
High temperature bias	1Q/ 1/ 20	IN specs.	Tamb: 55°C IF=20mA Duration: 1000hrs		
Pulse life test	1Q/ 1/ 40/ 0		Tamb25°C, If=20mA,, Ip=100mA, Duty cycle=0.125 (tp=125 μ s,T=1sec) Duration 500hrs)		
Temperature cycle	1Q/ 1/ 76/ 0	JESD-A104-A IEC 68-2-14, Nb	A cycle: -40 degree C 15min; +85 degree C 15min Thermal steady within 5 min 300 cycles 2 chamber/ Air-to-air type		
High humidity storage test	1Q/ 1/ 40/ 0	CNS-6117	60+3°C 90+5/-10% R.H. for 500hrs		
High temperature storage test	1Q/ 1/ 40/ 0	CNS-554	100+10°C for 500hrs		
Low temperature storage test	1Q/ 1/ 40/ 0	CNS-6118	-40+5°C for 500hrs		





### **Revision History**

Changes since last revision	Page	Version No.	Revision Date
Initial Release		1.0	01-19-2019
		·	

### **DISCLAIMER**

INOLUX reserves the right to make changes without further notice to any products herein to improve reliability, function or design. INOLUX does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

### LIFE SUPPORT POLICY

INOLUX's products are not authorized for use as critical components in life support devices or systems without the express written approval of the President of INOLUX or INOLUX CORPORATION. As used herein:

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
- 2. A critical component in any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.