

#### Features

- 0603 0.6 mm side view SMD LED
- High Brightness
- AlInGaP / InGaN Technology
- Small package
- High reliability
- Clear Lens

# Applications

- Consumer Electronics
- Wearable
- Automobile After Market
- Industrial Equipment

## Description

The IN-S63AS series is a popular low profile 0603 package with versatile design capabilities. It is a PCB type molding style LED which can be used in various applications.

## **Recommended Solder Pattern**





Figure 1. IN-S63AS Solder Pattern

## Package Dimensions in mm



#### Notes.

- 1. All dimensions are in millimeters.
- 2. Tolerance is  $\pm 0.1$  mm unless otherwise noted





# Absolute Maximum Rating at 25°C (Note 1)

Product	Emission Color	P <sub>d</sub> (mW)	I <sub>F</sub> (mA)	I <sub>FP</sub> * (mA)	V <sub>R</sub> (V)	T <sub>OP</sub> (°C)	T <sub>st</sub> (°C)	
IN-S63AS5YG	Yellow Green	75	25					
IN-S63AS5Y	Yellow	75	25	70				
IN-S63AS5A	Amber	75	25	70	5	-30°C~+85°C -4	-40°C~+90°C	
IN-S63ASR	Red	75	25					
IN-S63AS5B	Blue	75	25					
IN-S63ASG	Green	75	25	100				
IN-S63AS5UW	White	75	25					

#### Notes

1. Condition for IFP is pulse of 1/10 duty and 0.1msec width

#### **ESD** Precaution

ATTENTION: Electrostatic Discharge (ESD) protection



The symbol above denotes that ESD precaution is needed. ESD protection for GaP and AlGaAs based chips is necessary even though they are relatively safe in the presence of low static-electric discharge. Parts built with AlInGaP, GaN, or/and InGaN based chips are STATIC SENSITIVE devices. ESD precaution must be taken during design and assembly. If manual work or processing is needed, please ensure the device is adequately protected from ESD during the process.

Please be advised that normal static precautions should be taken in the handling and assembly of this device to prevent damage or degradation which may be induced by electrostatic discharge (ESD).



# **Electrical Characteristics** $T_A = 25$ °C (Note 1)

Product	Emission	I⊧(mA)	V <sub>F</sub> (V)		λ(nm)		Viewing Angle	l <sup>*</sup> ∨(mcd)
	Color		typ.	λD	λP	Δλ	201/2	typ.
IN-S63AS5YG	Yellow Green	5	2.0	573	576	15	120	11.5
IN-S63AS5Y	Yellow	5	2.0	588	590	20	120	28.5
IN-S63AS5A	Amber	5	2.0	605	608	17	120	28.5
IN-S63ASR	Red	20	2.2	622	630	20	120	140
IN-S63AS5B	Blue	5	2.8	467	468	30	120	45
IN-S63ASG	Green	20	3.2	522	527	35	120	560
IN-S63AS5UW	White	5	2.7	X=0.29 Y=0.29	-	-	120	285

#### Notes


1. Performance guaranteed only under conditions listed in above tables.



# Chromaticity Bin (for White only)


$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	0. 2920 0. 2935 0. 2997 0. 2984 0. 2935 0. 2950 0. 3009 0. 2997 0. 2950 0. 2965	0. 3060 0. 3015 0. 3088 0. 3133 0. 3015 0. 2970 0. 3042 0. 3088 0. 2970
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	0. 2997 0. 2984 0. 2935 0. 2950 0. 3009 0. 2997 0. 2950	0. 3088 0. 3133 0. 3015 0. 2970 0. 3042 0. 3088
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0. 2984 0. 2935 0. 2950 0. 3009 0. 2997 0. 2950	0. 3133 0. 3015 0. 2970 0. 3042 0. 3088
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	0. 2935 0. 2950 0. 3009 0. 2997 0. 2950	0. 3015 0. 2970 0. 3042 0. 3088
A6         0. 2633         0. 2410         0. 2680         0. 2623         C2         0. 2895         0. 2905         D2         0           0. 2720         0. 2575         0. 2772         0. 2800         0. 2950         0. 2970         0. 2970         0. 2923         0. 3052         0         0         0         0         0. 2895         0. 2905         0 <td< td=""><td>0. 2950 0. 3009 0. 2997 0. 2950</td><td>0. 2970 0. 3042 0. 3088</td></td<>	0. 2950 0. 3009 0. 2997 0. 2950	0. 2970 0. 3042 0. 3088
A6         0. 2720         0. 2575         B2         0. 2772         0. 2800         C2         0. 2950         0. 2970         D2         0           0. 2680         0. 2623         0. 2808         0. 2740         0. 2923         0. 3052         0           0. 2677         0. 2375         0. 2720         0. 2575         0. 2895         0. 2905         0	0.3009 0.2997 0.2950	0. 3042 0. 3088
0. 2720         0. 2575         0. 2772         0. 2800         0. 2950         0. 2970         0           0. 2680         0. 2623         0. 2808         0. 2740         0. 2923         0. 3052         0           0. 2677         0. 2375         0. 2720         0. 2575         0. 2895         0. 2905         0	0. 2997 0. 2950	0.3088
0. 2677 0. 2375 0. 2720 0. 2575 0. 2895 0. 2905 0	0.2950	
		0.2970
	0.2965	
A7 0.2633 0.2410 B3 0.2760 0.2528 C3 0.2928 0.2833 D3 C		0.2925
0. 2720 0. 2575 0. 2844 0. 2680 0. 2977 0. 2891 00 0. 2977 0. 2891 00 0. 2977 0. 2891 00 00 0. 2977 0. 2891 00 00 00 00 00 00 00 00 00 00 00 00 00	0.3023	0.2990
0.2760 0.2528 0.2808 0.2740 0.2950 0.2970 0	0.3009	0.3042
0. 2720 0. 2340 0. 2760 0. 2528 0. 2928 0. 2833 0	0.2965	0.2925
A8 0.2677 0.2375 B4 0.2844 0.2680 C4 0.2977 0.2891 D4 C	0.2980	0.2880
0. 2760 0. 2528 0. 2880 0. 2620 0. 3003 0. 2812 04 0	0.3037	0.2937
0.2800 0.2480 0.2800 0.2480 0.2960 0.2760 0	0.3023	0.2990
0. 2984 0. 3133 0. 2735 0. 2860 0. 2883 0. 3172 0	0.2937	0.3312
E1 0.2997 0.3088 B5 0.2772 0.2800 C5 0.2870 0.3210 D5 C	0.2950	0.3266
0. 3058 0. 3160 0. 2863 0. 2978 0. 2937 0. 3312 0	0.3017	0.3360
0.3048 0.3207 0.2830 0.3050 0.2950 0.3266 0	0.3005	0.3415
	0.2950	0.3266
E2 0.3009 0.3042 B6 0.2808 0.2740 C6 0.2950 0.3266 D6 C	0.2962	0.3220
0.3068 0.3113 0.2895 0.2905 0.2962 0.3220 0	0.3028	0.3304
0.3058 0.3160 0.2863 0.2978 0.2895 0.3134 0	0.3017	0.3360
0.3009 0.3042 0.2808 0.2740 0.2895 0.3134 0	0.2962	0.3220
E3 0.3023 0.2990 B7 0.2844 0.2680 C7 0.2908 0.3097 D7 C	0.2973	0.3177
0. 3081 0. 3053 0. 2928 0. 2833 0. 2973 0. 3177 0	0.3038	0.3256
	0.3028	0.3304
0.3023 0.2990 0.2844 0.2680 0.2908 0.3097 0	0.2973	0.3177
	0.2984	0.3133
0.3093 0.2993 0.2960 0.2760 0.2984 0.3133 0	0.3048	0.3207
	0.3038	0.3256
0. 25 0. 251 0. 26 0. 271 0. 27 0. 291	0.28	0.311
Z2 0. 26 0. 271 Z3 0. 27 0. 291 Z4 0. 28 0. 311 Z5 0	0.2871	0.321
0. 264 0. 267 0. 2735 0. 286 0. 283 0. 305	0.2895	0.3134
	0.283	0.305
	0.2640	0.2200
$A1 \rightarrow A2 \rightarrow A3 \rightarrow A4 \rightarrow A4 \rightarrow A4 \rightarrow A4 \rightarrow A4 \rightarrow A4 \rightarrow A4$	0.2593	0. 2223
0. 2545 0. 248 0. 2633 0. 241 0. 2633 0. 2410	0.2677	0.2375
0. 2589 0. 2445 0. 2545 0. 2245 0. 2545 0. 2245 0.	0.2720	0.2340
0. 24 0. 231		
Z1 0.25 0.251		
0. 2545 0. 248		
0. 245 0. 2291		








# Typical Characteristic Curves – YG, Y, A, R






# Typical Characteristic Curves – B, G, W





### **Typical Characteristic Curves – Radiation Pattern**




# **Ordering Information**

Product	Emission Color	Technology	Test Current I <sub>F</sub> (mA)	Luminous Intensity Iv (mcd) (Typ.)	Forward Voltage V <sub>F</sub> (V) (Typ.)	Orderable Part Number
IN-S63AS5YG	Yellow Green	AllnGaP	5	11.5	2.0	IN-S63AS5YG
IN-S63AS5Y	Yellow	AllnGaP	5	28.5	2.0	IN-S63AS5Y
IN-S63AS5A	Amber	AllnGaP	5	28.5	2.0	IN-S63AS5A
IN-S63ASR	Red	AllnGaP	20	140	2.2	IN-S63ASR
IN-S63AS5B	Blue	InGaN	5	45	2.8	IN-S63AS5B
IN-S63ASG	Green	InGaN	20	560	3.2	IN-S63ASG
IN-S63AS5UW	White	InGaN	5	285	2.7	IN-S63AS5UW



### **Label Specifications**



## Inolux P/N:

Ι	Ν	-	S	6	3	А	S				-	-	-	-	-
			Material	Pacl	kage	Variation	Orientation	Current	Lens	Color			istor tamp		
	эlux ЛD		S = PCB Type	63A =	= 1.7 x 1	L.1 x 0.6 mm	S = Side Mount	(Blank) = 20mA 5=5mA	(Blank) = Clear U = Diffused	R=630nm A=608nm Y=592nm YG=576nm G=527nm B=468nm W=White			-		


#### Lot No.:

Z	2	0	1	7	01	24	001
Internal		Voar (2017	, 2018,)	Month	Date	Serial	
Tracker		fear (2017	, 2018,)	Month	Date	Sella	




### Packaging Information: 4000pcs Per Reel

# Tape Dimension




#### **Reel Dimension**





## Packing Dimension



5 boxes per carton are available depending on shipment quantity.

	Specification	Material	Quantity
Carrier tape	Per EIA 481-1A specs	Conductive black tape	4000pcs per reel
Reel	Per EIA 481-1A specs	Conductive black	
Label	IN standard	Paper	
Packing bag	220x240mm	Aluminum laminated bag/ no-zipper	One reel per bag
Carton	IN standard	Paper	Non-specified
Oth and			

Others:

Each immediate box consists of 5 reels. The 5 reels may not necessarily have the same lot number or the same bin combinations of Iv,  $\lambda_D$  and Vf. Each reel has a label identifying its specification; the immediate box consists of a product label as well.




### **Dry Pack**

All SMD optical devices are **MOISTURE SENSITIVE**. Avoid exposure to moisture at all times during transportation or storage. Every reel is packaged in a moisture protected anti-static bag. Each bag is properly sealed prior to shipment.


Upon request, a humidity indicator will be included in the moisture protected anti-static bag prior to shipment.

The packaging sequence is as follows:



### **Reflow Soldering**

- Recommended tin glue specifications: melting temperature in the range of 178~192 °C
- The recommended reflow soldering profile is as follows (temperatures indicated are as measured on the surface of the LED resin):



Lead-free Solder Profile



#### Precautions

- Avoid exposure to moisture at all times during transportation or storage.
- Anti-Static precaution must be taken when handling GaN, InGaN, and AlInGaP products.
- It is suggested to connect the unit with a current limiting resistor of the proper size. Avoid applying a reverse voltage.
- Avoid operation beyond the limits as specified by the absolute maximum ratings.
- Avoid direct contact with the surface through which the LED emits light.
- If possible, assemble the unit in a clean room or dust-free environment.

#### Reworking

- Rework should be completed within 5 seconds under 260 °C.
- The iron tip must not come in contact with the copper foil.
- Twin-head type is preferred.

#### Cleaning

Following are cleaning procedures after soldering:

- An alcohol-based solvent such as isopropyl alcohol (IPA) is recommended.
- Temperature x Time should be 50°C x 30sec. or <30°C x 3min
- Ultra sonic cleaning: < 15W/ bath; bath volume ≤ 1liter
- Curing: 100 °C max, <3min

### **Cautions of Pick and Place**

- Avoid stress on the resin at elevated temperature.
- Avoid rubbing or scraping the resin by any object.
- Electro-static may cause damage to the component. Please ensure that the equipment is properly grounded. Use of an ionizer fan is recommended.



# Reliability

Item	Frequency/ lots/ samples/ failures	Standards Reference	Conditions
Precondition	For all reliability monitoring tests according to JEDEC Level 2	J-STD-020	1.) Baking at 85°C for 24hrs 2.) Moisture storage at 85°C/ 60% R.H. for 168hrs
Solderability	1Q/ 1/ 22/ 0	JESD22-B102-B And CNS-5068	Accelerated aging 155°C/ 24hrs Tinning speed: 2.5+0.5cm/s Tinning: A: 215°C/ 3+1s or B: 260°C/ 10+1s
Resistance to soldering heat			
Operating life test	1Q/ 1/ 40/ 0	CNS-11829	<ol> <li>Precondition: 85°C baking for 24hrs</li> <li>85°C/ 60%R.H. for 168hrs</li> <li>Tamb25°C; IF=20mA; duration 1000hrs</li> </ol>
High humidity, high temperature bias	1Q/ 1/ 45/ 0	JESD-A101-B	Tamb: 85°C Humidity: 85% R.H., IF=5mA Duration: 1000hrs
High temperature bias	1Q/ 1/ 20	IN specs.	Tamb: 55°C IF=20mA Duration: 1000hrs
Pulse life test	1Q/ 1/ 40/ 0		Tamb25°C, If=20mA,, Ip=100mA, Duty cycle=0.125 (tp=125 μ s,T=1sec) Duration 500hrs)
Temperature cycle	1Q/ 1/ 76/ 0	JESD-A104-A IEC 68-2-14, Nb	A cycle: -40 degree C 15min; +85 degree C 15min Thermal steady within 5 min 300 cycles 2 chamber/ Air-to-air type
High humidity storage test	1Q/ 1/ 40/ 0	CNS-6117	60+3°C 90+5/-10% R.H. for 500hrs
High temperature storage test	1Q/ 1/ 40/ 0	CNS-554	100+10°C for 500hrs
Low temperature storage test	1Q/ 1/ 40/ 0	CNS-6118	-40+5°C for 500hrs



#### **Revision History**

Changes since last revision	Page	Version No.	Revision Date
Initial Release		1.0	03-16-2017
Updated	10	1.1	07-10-2021
Updated	3,8	1.2	09-01-2021

### DISCLAIMER

INOLUX reserves the right to make changes without further notice to any products herein to improve reliability, function or design. INOLUX does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

# LIFE SUPPORT POLICY

INOLUX's products are not authorized for use as critical components in life support devices or systems without the express written approval of the President of INOLUX or INOLUX CORPORATION. As used herein:

1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.

2. A critical component in any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.